

No more inconvenient wrist twisting:

BREATHING AIR ADAPTOR FOR CYLINDER VALVES

Our breathing air adaptors were developed especially for quick connection of breathing air cylinders. Previously used screw adaptors can be easily exchanged by this innovation.



Breathing air adaptors on a filling panel

THE ADVANTAGES OF THE BREATHING AIR ADAPTORS

- › Quick connection in seconds due to simplified connection
- › Integrated safety pin prevents opening under pressure
- › Reduced physical impairment of wrists and tendons
- › Right and left hand operation
- › Compact design
- › Suitable for filling by means of direct connections or filling hoses

› CONNECTION



1. Lift bow into an upright position. Apply adaptor straight into the thread of the cylinder valve.



2. Press bow down until it locks with a "click".



3. As soon as the adaptor is closed, the filling valve is opened and the cylinder is filled.



Summary of breathing air adaptors see next page

Quick connector PN 200 for lever filling valves



Out: G5/8

In: NS-1"-14 outer

Pressure range: PN200

Application: For conversion of filling panels, equipped with standard direct connections; allows connecting in seconds directly at the standard thread of the cylinder valve.

Part number N27188

Quick connector PN 300 for lever filling valves



Out: G5/8

In: NS-1"-14 outer

Pressure range: PN300

Application: For conversion of filling panels, equipped with standard direct connections; allows connecting in seconds directly at the standard thread of the cylinder valve.

Part number N27194

Quick connector PN 200 for filling hoses



Out: G5/8

In: M 16x1.5

Pressure range: PN200

Application: as aforementioned, however suitable for acceptance of BAUER h.p. filling hose

Part number N30505

Quick connector PN 300 for filling hoses



Out: G5/8

In: M 16x1.5

Pressure range: PN300

Application: as aforementioned, however suitable for acceptance of BAUER h.p. filling hose

Part number N30119

Quick connector PN200 with straight rear hose connection



Out: G5/8

In: M 16x1.5

Pressure range: PN200

Application: as aforementioned, however suitable for acceptance of straight rear hose connection

Part number N30578

Quick connector PN300 with straight rear hose connection



Out: G5/8

In: M 16x1.5

Pressure range: PN300

Application: as aforementioned, however suitable for acceptance of straight rear hose connection

Part number N30579

Adaptor



Out: NS-1"-14 inner

In: M 16x1.5 outer

Pressure range: PN 200/300

Application: Necessary for mounting the quick connector PN 220 & PN 300 to filling panels. Incl. 2 o-rings & 1 lock nut

Part number N27189

Height compensation



Application: Weight and height compensation system for safe positioning of cylinders under filling panels

Part number N27190

SET 1: Quick connector set PN 200



Composed of:

1 pc quick connector PN 200 (N27188)

1 pc adaptor (N27189)

1 pc height compensation (N27190)

Part number 87271

SET 2: Quick connector set PN 300



Composed of:

1 pc quick connector PN 300 (N27194)

1 pc adaptor (N27189)

1 pc height compensation (N27190)

Part number 87272

› CONTACT FORM

› PLEASE SEND US INFORMATION ON THE FOLLOWING SERVICES

› YOUR CONTACT PARTNER

Mr./Ms: _____

Telephone: _____

Fax: _____

› YOUR ADDRESS

Company: _____

Street: _____

Postcode, Town: _____

Please, send the completed form by post or fax to the abovementioned dealer. Our service team will process your request as soon as possible and will get in touch with you.

BAUER KOMPRESSOREN GmbH Systemwerk, D-81452 München, Postfach 71 02 60,
Tel. +49-89-7 80 49-0, Fax +49-89-7 80 49-167, info@bauer-kompressoren.de

www.bauer-kompressoren.de

